



ONYX & ONYX Pro
As intuitive, as attractive





Creative design for demanding baristas

Born from the perfect combination of reliable, high performance espresso machine and our continuous pursuit of innovative solutions to push coffee technology further, both ONYX and ONYX Pro are espresso machine that merge creative design with endless customization possibilities.

Our goal from the very beginning of this journey has been to create a line of espresso machines that can hard work all day long while still looking its very best, perfectly balancing exceptional beauty with practical utility for demanding baristas.



Customization

We realize that every serving space is unique, so to make sure that ONYX fits perfectly into any environment we have designed it to be easily customized through easily changeable graphic slots, custom inserts in the exterior panels, or by custom-designed side and back LEDs.



Customized Panels

Side and back panels can be customized to suit any need or environment.



LED Illumination

LED panels on 3 sides allow for virtually unlimited custom branding opportunities. Pro models only.



ONYX Pro – iconic premium espresso machine

ONYX Pro 2GR

Features tall espresso groups with fold-away cup trays for smaller cups.

Options:

- Auto-steamer



ONYX Pro 3GR

Features tall espresso groups with fold-away cup trays for smaller cups.

Options:


- Auto-steamer





Touchscreen UI

Take control of brewing, programming and cleaning functions with a 2.5" LCD touchscreen display.




Straight anti-suction steam wands

Straight-flow wands ensure minimal steam restriction and anti-suction valves plus Teflon coatings keep everything hygienic and easy to clean.



Group flushing

Keep each group clean and ready to go between brews with just the push of a button.



Pulse/auto steam controls

Perfectly steam milk by hand, or reduce labour by letting steam flow automatically.




Soft Preinfusion chamber

Allow coffee to develop its flavour naturally with preinfusion and complete saturation in every dose.



Quick release cup trays

Cup shelves fold up when not needed, and remove with just the press of a button for cleaning.



Insulated multiboilers with PID control

PID digital temperature control across all groups guarantees accurate heating for every brew.

Automatic cleaning

Auto cleaning means the group head and shower always stay clean and ready for the next brew.



ONYX – Design, functionality and reliability as you expect

ONYX Mini 2GR

Features standard and tall height espresso groups.

Options:

- 1 extra steam wand



ONYX 2GR

Features standard height espresso groups.




ONYX 3GR

Features standard height espresso groups.




Keep in mind that all standard versions comes with sheet metal back.



Keypad

Keypad for each group in combination with digital display for easy use and programming.



Soft-touch portafilters

Comfortable, ergonomic, luxurious and yet extremely durable and stable.



Group Flushing

Keep each group clean and ready to go between brews with just the push of a button.



Steam knobs

Manual steam control for steaming the milk with perfect results.




Soft Preinfusion Heads

Allow coffee to develop its flavour naturally with preinfusion and complete saturation in every dose.



Anti milk suction steam valve

For extra hygiene the steam wand is equipped with a valve to minimize the risk of milk being sucked into the steam pipe.



Insulated boiler with PID Control

PID digital temperature control across all groups guarantees accurate heating for every brew.



Automatic Cleaning

Auto cleaning means the group head and shower always stay clean and ready for the next brew.



Customizable Panels

Side panels can be customized to suit any need or environment.

ONYX Pro	2 group Pro	3 group Pro
Height	20.4 in / 520 mm	20.4 in / 520 mm
Depth	23 in / 585 mm	23 in / 585 mm
Width	27.7 in / 705 mm	38.7 in / 985 mm
Weight	154.3 lb / 70 kg	216.1 lb / 98 kg
Brewing Groups	2	3
Boiler Volume (Litre)	11.5+(1.5+1.5)	17.5+(1.5+1.5+1.5)
Boiler Pressure (Bar)	0.8 to 1.2	0.8 to 1.2
Total Boilers	3	4
Steam Wands	2	2
Auto Steamer	Option	Option
Hot Water Tap	1	1
Noise Level	<70dB	<70dB
Power ratings	380-415V, 3N~4840W, 50-60hz (Non-Turbo Steamer) 380-415V, 3N~4840W, 50-60hz (Turbo Steamer-equipped)	380-415V, 3N~6420W, 50-60hz (Non-Turbo Steamer) 380-415V, 3N~6440W, 50-60hz (Turbo Steamer-equipped)

ONYX	2 group Mini	2 group	3 group
Height	20.4 in / 520 mm	20.4 in / 520 mm	20.4 in / 520 mm
Depth	23 in / 585 mm	23 in / 585 mm	23 in / 585 mm
Width	19.2 in / 490 mm	28.3 in / 720 mm	39.3 in / 1000 mm
Weight	103.6 lb / 47 kg	147.7 lb / 67 kg	209.4 lb / 95 kg
Brewing Groups	2	2	3
Boiler Volume (Litre)	6	11.5	17.5
Boiler Pressure (Bar)	0.8 to 1.2	0.8 to 1.2	0.8 to 1.2
Total Boilers	1	1	1
Steam Wands	1 or 2	2	2
Auto Steamer	No	No	No
Hot Water Tap	1	1	1
Noise Level	<70dB	<70dB	<70dB
Power ratings	220-240V, 3N~2800W, 50-60hz	220-240V, 3N~3350W, 50-60hz	380-415V, 3N~6350W, 50-60hz

Welbilt offers fully-integrated kitchen systems and our products are backed by KitchenCare® aftermarket parts and service. Welbilt's portfolio of award-winning brands includes **Cleveland™**, **Convotherm®**, **Crem®**, **Delfield®**, **fitkitchen®**, **Frymaster®**, **Garland®**, **Kolpak®**, **Lincoln™**, **Manitowoc®**, **Merco®**, **Merrychef®** and **Multiplex®**.

Bringing innovation to the table • **welbilt.com**